A MANUFACTURER OF POLYURETHANE POLYMERS PRODUCTS





www.asmkobis.pl

Company

Created by the **ASMKO-BIS S.C.** rich offer is distinguished by a wide range of innovative products that fit the needs of our customers. We use polyurethane elastomers to shape a variety of components, both in small and large projects.

Polyurethanes are our specialty !!!

Sample production possibilities:

- sieves for sifters and wheeled dewaterers,
- sieves accessories: strips, wedges, nozzles, pins
- polyurethane plates also for soil compactors,
- scrapers for tapes,
- hydrocyclones,
- seals for truck scales,
- wheels, shafts, rollers, sleeves,
- Other item based on Customer's specifications

Our customers:

- coal mines
- rock raw materials mines
- power plants
- cement works
- steelworks
- private recipients

Polyurethanes properties:

- hardness 55 98 Sh A
- tensile strength 35 80 MRa
- elongation at break 350 700 %
- abrasion 30 40 mm³
- density 1,1-1,30 g/cm³

What distinguishes us?

- high quality of products thanks to the latest machines for the production of polyurethane elastomers
- more than 20 years of experience in the production of polyurethane elastomers
- specialized staff
- high quality of service
- as a manufacturing company, we offer competitive prices

We also invite you to visit our website **www.asmkobis.pl** and contact us by phone.





asmkobis

Polyurethane sieves

Polyurethane sieves are used in vibrating screens and effectively replace rubber and steel ones. They are resistant to corrosion, and reduce noise, they are much more resistant to abrasion and rupture,, and, at the same time, they are rigid because of additional reinforcement.

We offer the following sieves:

- segmented with pins,
- punched,


• with strips,

• stretched,

• edged,

- LIVELL,
- Sieves for wheeled dewaterers with mesh sizes:

1×15, 2×25, 4×4, 5×5, 6×6, 8×8, 8×28; 10×10; 12×12; 14×14, 16×16; 20×20; 25×25; 30×30; 32×32; 35×35; 40×40; 45×45: 50×50; 60×60; 70×70; 80×80; 90×90; 120×120; 120×150




Lining for the MF 250, 300, 350 pumps

- front shell lining
- rear shell lining
- impeller
- intake connector



Lining of steel pipes with PU coating






Inserts for coupling, shafts, sleeves



Seals for vehicle scales

Seals for vehicle scales made of the T-type polyurethane are characterized by high resistance to oils, greases and atmospheric conditions - this results in a longer life compared to rubber seals.

Polyurethane scrapers



Regeneration and application of a new PU coating on metal shafts and wheels.



Polyurethane strips

-

Straight, angular and reinforced strips of different dimensions.





-

9



ASMKO-BIS S.C M. Karlikowska, P. Rzońca, D. Karlikowski

6 Przemysłowa St.,

32-332 Bukowno, Poland

phone: + 48 32 445 30 58

e-mail: biuro@asmkobis.pl

www.asmkobis.pl